

Identification_Information:

Citation:

Citation_Information:

Originator: National Oceanic and Atmospheric Association (NOAA)/National Ocean Service (NOS)/National Centers for Coastal Ocean Science (NCCOS)/Center for Coastal Monitoring and Assessment (CCMA)/Biogeography Team

Publication_Date: 200703

Title: St. Croix, USVI Benthic Composition Assessment and Monitoring Data (2002 - Present)

Publication_Information:

Publication_Place: Silver Spring, MD

Publisher: NOAA's Ocean Service, National Centers for Coastal Ocean Science (NCCOS)

Online_Linkage:

http://ccma.nos.noaa.gov/ecosystems/coralreef/reef_fish.html

Description:

Abstract:

This fish and benthic composition database is the result of a multifaceted effort described below.

The intent of this work is five fold: 1) To spatially characterize and monitor the distribution, abundance, and size of both reef fishes and macro-invertebrates (conch, lobster, *Diadema*); 2) To relate this information to in-situ data collected on associated benthic composition parameters; 3) To use this information to establish the knowledge base necessary for enacting management decisions in a spatial setting; 4) To establish the efficacy of those management decisions; and 5) To work with the National Coral Reef Monitoring Program to develop data collection standards and easily implemented methodologies for transference to other agencies and to work toward standardizing data collection throughout the US states and territories. Toward this end, the Center for Coastal Monitoring and Assessment's Biogeography Team (BT) has been conducting research in Puerto Rico and the US Virgin Islands since 2000 and 2001, respectively. It is critical, with recent changes in management at both locations (e.g. implementation of MPAs) as well as proposed changes (e.g. zoning to manage multiple human uses) that action is taken now to accurately describe and characterize the fish/macro-invertebrate populations in these areas. It is also important that BT work closely with the individuals responsible for recommending and implementing these management strategies. Recognizing this, BT has been collaborating with partners at the University of Puerto Rico, National Park Service, US Geological Survey and the Virgin Islands Department of Planning and Natural Resources.

To quantify patterns of spatial distribution and make meaningful interpretations, we must first have knowledge of the underlying variables determining species distribution. The basis for this work therefore, is the nearshore benthic habitats maps (less than 100 ft depth) created by NOAA's Biogeography Program in 2001 and NOS' bathymetry models. Using ArcView GIS software, the digitized habitat maps are stratified to select sampling stations. Sites are randomly selected within these strata to ensure coverage of the entire study region and not just a particular reef or seagrass area. At each site, fish, macro-invertebrates, and benthic composition information is then quantified following standardized protocols. By relating the data collected in the field back to the habitat maps and bathymetric models, BT is able to model and map species level and community level information. These protocols are standardized throughout the US Caribbean to enable quantification and comparison of reef fish abundance and distribution trends between locations. Armed with the knowledge of where "hot spots" of species richness and diversity are likely

to occur in the seascape, the BT is in a unique position to answer questions about the efficacy of marine zoning strategies (e.g. placement of no fishing, anchoring, or snorkeling locations), and what locations are most suitable for establishing MPAs. Knowledge of the current status of fish/macro-invertebrate communities coupled with longer term monitoring will enable evaluation of management efficacy, thus it is essential to future management actions.

Purpose: 1) To spatially characterize and monitor the distribution, abundance, and size of both reef fishes and macro-invertebrates (conch, lobster, Diadema); 2) To relate this information to in-situ data collected on associated benthic composition parameters; 3) To use this information to establish the knowledge base necessary for enacting management decisions in a spatial setting; 4) To establish the efficacy of those management decisions; and 5) To work with the National Coral Reef Monitoring Program to develop data collection standards and easily implemented methodologies for transference to other agencies and to work toward standardizing data collection throughout the US states and territories.

Supplemental_Information: This work is being conducted in collaboration with the National Park Service and the Virgin Islands Department of Planning and Natural Resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 200202

Ending_Date: Present

Currentness_Reference: Ground Condition

Status:

Progress: In Work

Maintenance_and_Update_Frequency: twice per year

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: -64.67

East_Bounding_Coordinate: -64.56

North_Bounding_Coordinate: 17.81

South_Bounding_Coordinate: 17.75

Keywords:

Theme:

Theme_Keyword_Thesaurus: CoRIS Discovery Thesaurus

Theme_Keyword: Numeric Data Sets > Biology

Theme:

Theme_Keyword_Thesaurus: CoRIS Theme Thesaurus

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Reef monitoring and assessment > Baseline studies

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Reef monitoring and assessment > Benthos analysis

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Reef monitoring and assessment > Benthos analysis > Transect monitoring

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Reef monitoring and assessment > Benthos analysis > Transect monitoring > Belt transect

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Reef monitoring and assessment > Benthos analysis > Quadrat monitoring

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Reef monitoring and assessment > Benthos analysis > Quadrat monitoring > In situ

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Reef monitoring and assessment > Rapid assessment studies

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Reef monitoring and assessment > Monitoring and assessment

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Reef monitoring and assessment > In situ biological

Theme_Keyword: EARTH SCIENCE > Oceans > Marine Biology > Marine Invertebrates > Census > Population density

Theme_Keyword: EARTH SCIENCE > Oceans > Marine Biology > Marine Invertebrates > Macroinvertebrates

Theme_Keyword: EARTH SCIENCE > Biosphere > Vegetation > Algae > Algal cover

Theme_Keyword: EARTH SCIENCE > Biosphere > Vegetation > Algae > Calcareous macroalgae

Theme_Keyword: EARTH SCIENCE > Biosphere > Vegetation > Algae > Coralline algae

Theme_Keyword: EARTH SCIENCE > Biosphere > Vegetation > Algae > Crustose coralline algae

Theme_Keyword: EARTH SCIENCE > Biosphere > Vegetation > Algae > Encrusting macroalgae

Theme_Keyword: EARTH SCIENCE > Biosphere > Vegetation > Algae > Fleshy macroalgae

Theme_Keyword: EARTH SCIENCE > Biosphere > Vegetation > Algae > Turf algae

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs > Coral reef ecology > Biodiversity

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs > Coral reef ecology > Coral cover

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs > Coral reef ecology > Hard coral cover

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs > Coral reef ecology > Hard coral cover Live percentage

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs > Coral reef ecology > Hard coral cover Dead percentage

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs > Coral reef ecology > Octocoral cover

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs > Coral reef ecology > Rugosity

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs > Coral reef ecology > Biodiversity

Theme_Keyword: EARTH SCIENCE > Oceans > Coastal Processes > Coral Reefs > Coral reef ecology > Habitats

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Coral Diseases

Theme_Keyword: EARTH SCIENCE > Biosphere > Aquatic Habitat > Reef Habitat > Description

Theme_Keyword: EARTH SCIENCE > Biosphere > Aquatic Habitat > Benthic Habitat

Theme_Keyword: EARTH SCIENCE > Oceans > Marine Biology > Marine Plants > Seagrass

Theme_Keyword: EARTH SCIENCE > Biosphere > Zoology > Corals > Coral Diseases > Bleaching

Theme:

Theme_Keyword_Thesaurus: ISO 19115:2003 MD_TopicCategoryCode

Theme_Keyword: biota

Theme_Keyword: 002

Theme_Keyword: environment

Theme_Keyword: 007

Theme_Keyword: oceans

Theme_Keyword: 014

Place:

Place_Keyword_Thesaurus: CoRIS Place Thesaurus

Place_Keyword: COUNTRY/TERRITORY > United States of America > US Virgin Islands > St. Croix > St. Croix (17N064W0003)

Place_Keyword: OCEAN BASIN > Atlantic Ocean > Caribbean Sea > Virgin Islands > Virgin Islands > St. Croix > (17N064W0003)

Access_Constraints: None

Use_Constraints:

Please reference NOAA/NCCOS/CCMA/Biogeography Team when utilizing these data in a report or peer reviewed publication. Additionally, knowledge of how this dataset has been of use and which organizations are utilizing it is of great benefit for ensuring this information continues to meet the needs of the management and research communities.

Therefore, it is requested but not mandatory, that any user of this data supply this information to the Program Manager: Kimberly Woody (email: Kimberly.woody@noaa.gov).

Point_of_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA/NCCOS/CCMA/Biogeography Team

Contact_Position: Caribbean Coral Reef Ecosystem Monitoring Project

Manager

Contact_Address:

Address_Type: Mailing and Physical Address

Address: 1305 East-West Hwy. (SSMC4, N/SCI-1)

City: Silver Spring

State_or_Province: MD

Postal_Code: 20910

Country: USA

Contact_Voice_Telephone: 301-713-3028

Contact_Electronic_Mail_Address: Kimberly.woody@noaa.gov

Hours_of_Service: 9:00 - 5:00

Data_Set_Credit: This is a cooperative effort between NOAA's Biogeography Team, the National Park Service and the Virgin Islands Department of Planning and Natural Resources

Data_Quality_Information:

Logical_Consistency_Report: Not applicable

Completeness_Report: These data consists of multiple fish community surveys across all nearshore marine habitats around St. Croix, US Virgin Islands. Sites were randomly selected and stratified across by habitat types using NOAA's benthic habitat maps of St. Croix, USVI.

Lineage:

Process_Step:

Process_Description:

Site selection begins by stratifying NOAA's nearshore benthic habitat maps into predetermined habitat strata. Utilizing ArcGIS, sites are then randomly selected within strata throughout the region. Using a handheld GPS unit, the boat captain navigates to previously selected sites. A weighted buoy is dropped to mark any site where "live boating" is necessary. Once on site, divers are deployed and maintain contact with each other throughout the entire census. One diver is responsible for collecting data on the benthic composition. The habitat diver follows the belt-transect diver and records data on small-scale benthic habitat composition and structure along the 25m transect. The habitat diver places a 1m² quadrat divided into 100 (10 x 10cm) smaller squares (1 square equals 1 percent cover) at 5 separate positions. Each position is randomly chosen before entering the water such that there is one random point within every 5m interval along the transect. Percent cover is

obtained as if looking at the quadrat in a two dimensional plane (i.e. a photograph) vs. three dimensions where percent cover could add up to greater than 100%.

Data are collected on the following:

1) Logistic information - diver name, dive buddy, date, time of survey, site code, and meter numbers at which the quadrat is placed.

2) Habitat structure - to characterize the benthic habitats of the dive site, the habitat diver first categorizes the habitat structure of the site: hard, soft or mangrove.

3) Proximity of structure - on seagrass and sand sites, the habitat diver records the absence or presence of reef or hard structure within 3m of the belt transect. A score of zero (0) indicates that no reef or other hard structure is present; one (1) indicates that a reef or hard structure smaller than 4m² is present; and (2) indicates that a reef or hard structure larger than 4m² is present within 3m of the diver. The point-count diver also uses this scoring system to record the absence, presence, and proximity of reef or hard structures within their cylinder.

5) Transect depth profile - the depth at each quadrat position. Depth is measured with a digital depth gauge to the nearest 1ft.

6) Abiotic footprint - defined as the percent cover (to the nearest 1 percent) of sand, rubble, hard bottom, and fine sediments within a 1m² quadrat. Rubble refers to rocks and coral fragments that are moveable; immovable rocks are considered hard bottom. The percent cover given as a part of the abiotic footprint should total 100 percent. In a seagrass area for example, despite the fact that seagrass may provide 50 percent cover the underlying substrate is 100 percent sand so this is what is recorded. To estimate percent cover, the habitat diver first positions the quadrat at the chosen meter mark along the transect tape. If the meter mark is an odd number, then the quadrat is placed on left side of the tape; if even, it is placed on the right. Next, the habitat diver lays the quadrat along the substrate (regardless of the slope) and estimates percent cover based on a two-dimensional (planar) view (e.g. if bottom is sloping, the quadrat is not held horizontally). Also, the diver should try to use the same planar view for all estimates of percent cover. The habitat diver then estimates, for each quadrat, the height (in centimeters) of the hardbottom from the substrate to get a sense of bottom relief. Note: Height is collected for all hardbottom substrates, excluding rubble; height is not collected for softbottom substrate.

7) Biotic footprint - defined as the percent cover (to the nearest 0.1 percent) of algae, seagrass, live corals, sponges, gorgonians, and other biota (tunicates, anemones, zooanthids, and hydroids) within a 1m² quadrat. The remaining cover is recorded as bare substrate to bring the total to 100 percent. Again, the diver must use a planar view to estimate percent cover of the biota. Seagrasses and gorgonians should not be stacked upright. For example, e.g., if a single seagrass blade crosses 10 squares, then total seagrass coverage should be the sum of the area taken up by that blade in all 10 squares instead of the area covered if the blade was held upright. Species covering less than 0.1 percent of the area are not recorded. Taxa are identified to the following levels: stony coral-species, algae-morphological group (macro, turf, crustose, rhodolith, filamentous, cyanobacteria), sponge-morphological group, and gorgonians-morphological group. When estimating percent cover, it is important to realize

there is a balance between precision and time. For stony corals, the approximate area covered by living coral tissue is recorded. Coral skeleton (without living tissue) is usually categorized as turf algae or uncolonized substrate. Data on the condition of coral colonies are also recorded. When coral is noticeably bleached, the percentage of bleached coral is estimated to the nearest 0.1 percent. Diseased/dead coral refers to coral skeleton that has recently lost living tissue because of disease or damage that is still visible, and has not yet been colonized by turf algae. Turf algae include a mix of short (less than 1cm high) algae that colonizes dead coral substrate.

8) Maximum canopy height - for each soft biota type (e.g., gorgonians, seagrass, algae), structure is recorded to the nearest 10cm.

9) Number of individuals - for sponges, gorgonians and "other" biota type (non-encrusting anemones and non-encrusting hydroids), the number of individuals at the quadrat level are recorded.

10) Rugosity - measured by placing a 6-m chain at two randomly selected positions along the 25m belt transect. The chain is placed such that it follows the substrate's relief along the centerline of the belt transect. Two divers measure the straight-line horizontal distance covered by the chain. The chain is placed on top of any hard substrate encountered, but not on top of soft corals or sponges since we are measuring hard bottom rugosity. Data on rugosity are collected for reef sites only. Rugosity measurements typically are made by the point-count and belt-transect divers while awaiting the completion of other benthic habitat measurements by the habitat diver. Upon completion of the dive, the rugosity data are transferred from the fish data sheet to the habitat data sheet by the habitat diver.

11) Abundance and maturity of queen conchs (*Strombus gigas*) - a count of the total number of conch encountered within the 25m x 4m belt transect are enumerated. The maturity of each conch is determined by the presence or absence of a flared lip and labeled mature or immature, respectively.

If conch abundance is counted by a fish diver, the data are then reported to habitat diver. The decision of who will collect conch data should be made prior to entering the water.

12) Abundance of spiny lobsters (*Panilaurus argus*) - a count of the total number of lobsters encountered within the 25m x 4m belt transect. No measurements are taken. If lobster abundance is counted by a fish diver, the data are then reported to habitat diver. The decision of who will collect lobster data should be made prior to entering the water.

13) Abundance of long-spined urchin (*Diadema antillarum*) - a count of the total number of urchins encountered within the 25m x 4m belt transect. No measurements are taken. If urchin abundance is counted by a fish diver, the data are then reported to habitat diver. The decision of who will collect urchin data should be made prior to entering the water.

Data Caveats: Overtime, some changes were made to the stratified random site selection process as follows: 1) Habitat strata initially consisted of hard bottom, sand, and seagrass. Sand and seagrass strata were subsequently combined into one soft bottom strata at all three locations (Puerto Rico, St. Croix, and St. John). This action was taken after the February 2002 mission to Puerto Rico. 2) A small subset of sites were resampled during each mission through June 2002 in Puerto Rico and October 2002 in St. Croix. These station names contain the letter 'P' indicating they are permanent stations. 3) The sample

area in St. Croix has increased over time. Initially, samples were collected within historic Buck Island National Monument boundaries as well as outside up to a distance of 0.5 km from those boundaries. In February 2002 the sampling effort was increased to include the entire expanded monument boundaries. Finally in April 2003 the effort was increased again to include areas outside of the Monument for control sites. This area is now almost entirely enclosed within the East End Marine Park of St. Croix. 4) The habitat map utilized to stratify the samples in St. Croix was changed from the original habitat map created with a 1 acre minimum mapping unit to one with a 100m² minimum mapping unit beginning with the April 2003 mission. 5) In 2007, algae data collection changed from identification of each alga to the genus level to grouping algae into six morphological groups: macro, turf, crustose, filamentous, rhodolith, and cyanobacteria for more efficient data collection.

Process_Date: 200703

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.00001

Longitude_Resolution: 0.00001

Geographic_Coordinate_Units: Decimal Degrees

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview: We supply percent cover, relative abundance, size, and composition of benthic communities. This information is collected across all nearshore habitat types. In addition, we provide photographs of many of the taxa. For specific information please see the data dictionary available on the database website.

Entity_and_Attribute_Detail_Citation: NOAA/NCCOS/CCMA/Biogeography Team

Distribution_Information:

Distributor:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA/NCCOS/CCMA/Biogeography Team

Contact_Position: Caribbean Coral Reef Ecosystem Monitoring Database

Manager

Contact_Address:

Address_Type: Mailing and Physical Address

Address: 1305 East-West Hwy. (SSMC4, N/SCI-1)

City: Silver Spring

State_or_Province: MD

Postal_Code: 20910

Country: USA

Contact_Voice_Telephone: 301-713-3028

Contact_Electronic_Mail_Address: tom.mcgrath@noaa.gov

Hours_of_Service: 9:00 - 5:00

Resource_Description: Downloadable data

Distribution_Liability: These data were prepared by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference therein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. Any views and opinions expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Although all data have been used by NOAA, no warranty, expressed or implied, is made by NOAA as to the accuracy of the data and/or related materials. The act of distribution shall not constitute any such warranty, and no responsibility is assumed by NOAA in the use of these data or related materials.

Standard_Order_Process:

Digital_Form:

Digital_Transfer_Information:

Format_Name: tab delimited text file

Digital_Transfer_Option:

Online_Option:

Computer_Contact_Information:

Network_Address:

Network_Resource_Name:

http://www8.nos.noaa.gov/bioge_public/query_habitat.aspx

Fees: None

Metadata_Reference_Information:

Metadata_Date: 20060714

Metadata_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA/NCCOS/CCMA/Biogeography Team

Contact_Position: Caribbean Coral Reef Ecosystem Monitoring Manager

Contact_Address:

Address_Type: Mailing and Physical Address

Address: 1305 East-West Hwy. (SSMC4, N/SCI-1)

City: Silver Spring

State_or_Province: MD

Postal_Code: 20910

Country: USA

Contact_Voice_Telephone: 301-713-3028

Contact_Electronic_Mail_Address: Kimberly.woody@noaa.gov

Hours_of_Service: 9:00 - 5:00

Metadata_Standard_Name: Content Standard for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998